


Capacity Building Initiative for Transparency - Global Support Programme (CBIT-GSP) : Asia Region

Uncertainty Analysis

Jaypalsinh Chauhan
Asia Transparency Network Coordinator

27 March 2024


Uncertainty Overview



Vol. 1 - Ch. 3: uncertainty

Vol. 1 - Ch. 4: KCA based on uncertainty

Vol. 1 - Ch. 5: Splicing techniques



- Chapter 1 [Introduction](#)
- Chapter 2 [Energy](#)
- Chapter 3 [Industrial Processes](#)
- Chapter 4 [Agriculture](#)
- Chapter 5 [Waste](#)
- Chapter 6 [Quantifying Uncertainties in Practice](#)
- Chapter 7 [Methodological Choice and Recalculation](#)
- Chapter 8 [Quality Assurance and Quality Control](#)

General approach

Uncertainty

Lack of knowledge of the true value of a variable that can be described as a [probability density function \(PDF\)](#).

Uncertainty depends on the analyst's state of knowledge, which in turn depends on the quality and quantity of applicable data as well as knowledge of underlying processes and inference methods.

Uncertainty analysis

An uncertainty analysis should be seen, first and foremost, as a means to help prioritise national efforts to reduce the uncertainty of inventories in the future, and guide decisions on methodological choice.

Quantitative uncertainty analysis is performed by estimating the [95 percent confidence interval](#) of the emissions and removals estimates for individual categories and for the total inventory

Uncertainty assessment

The term “ASSESSMENT” is intended to convey an exercise that includes the investigation of quantitative and qualitative aspects. In the glossary to the Guidelines, “uncertainty analysis” is defined as only a quantitative exercise.

Key concepts

Confidence interval: range that encloses the true, but unknown value, with a determined confidence (probability). Typically, a 95 percent confidence interval is used in greenhouse gas inventories.

Alternative interpretation: Range that may safely be declared to be consistent with observed data or information

Probability Density Function (PDF): describes the range and relative likelihood of possible values.

For emission inventory, it is used to describe uncertainty in the estimate of a quantity that is a fixed constant whose value is not exactly known.

Sensitivity analysis: method to determine which of the input uncertainties to an inventory contributes most substantially to the overall uncertainty.


Uncertainty Overview

Lack of knowledge of the true value

How far is the true value from the value used?

Accuracy (systematic errors or bias) vs. Precision (random errors)

- (a) inaccurate but precise; (b) inaccurate and imprecise; (c) accurate but imprecise; and (d) precise and accurate



Uncertainty Overview

Linear Error Propagation (LEP)

Enter Emissions Data

Data Calculated using simple equations

| TABLE 3.2 APPROACH 1 UNCERTAINTY CALCULATION | | | | | | | | | | | | | |
|---|-----------------|---------------------------------|-------------------------------|---------------------------|--|----------------------|--|--------------------|-----------------------------------|---|--|---|--|
| A | B | C | D | E | F | G | H | I | J | K | L | M | |
| IPCC category | Gas | Base year emissions or removals | Year t emissions or removals | Activity data uncertainty | Emission factor / estimation parameter uncertainty | Combined uncertainty | Contribution to Variance by Category in Year t | Type A sensitivity | Type B sensitivity | Uncertainty in trend in national emissions introduced by emission factor / estimation parameter uncertainty | Uncertainty in trend in national emissions introduced by activity data uncertainty | Uncertainty introduced into the trend in total national emissions | |
| | | Input data | Input data | Input data | Input data Note A | $\sqrt{E^2 + F^2}$ | $\frac{(G \cdot D)^2}{(\sum D)^2}$ | Note B | $\left \frac{D}{\sum C} \right $ | I • F Note C | $J \cdot E \cdot \sqrt{2}$ Note D | $K^2 + L^2$ | |
| | | Gg CO ₂ equivalent | Gg CO ₂ equivalent | % | % | % | % | % | % | % | % | % | |
| E.g., 1.A.1. Energy Industries Fuel 1 | CO ₂ | | | | | | | | | | | | |
| E.g., 1.A.1. Energy Industries Fuel 2 | CO ₂ | | | | | | | | | | | | |
| Etc... | ... | | | | | | | | | | | | |
| Total | | ΣC | ΣD | | | | ΣH | | | | | ΣM | |
| | | | | | | | Percentage uncertainty in total inventory: | $\sqrt{\Sigma H}$ | | | Trend uncertainty: | $\sqrt{\Sigma M}$ | |

Enter Uncertainties



Uncertainty Overview

| IPCC category | Approach 1 uncertainty calculation | | | | | | | | | | | | |
|--|---|---|------------------------------|---------------------------|--|--------------------------------------|---|--|--------------------|----------------------------------|----------------------------------|---|--|
| | Gas | Base year emissions or removals | Year t emissions or removals | Activity data uncertainty | Emission factor / estimation parameter uncertainty | Combined uncertainty | Contribution to Variance by Category in | Type A sensitivity | Type B sensitivity | Uncertainty in trend in national | Uncertainty in trend in national | Uncertainty introduced into the trend in total national emissions | |
| | Input data Gg CO ₂ equivalent | Input data Gg CO ₂ equivalent | Input data % | Input data % | $\sqrt{E^2 + F^2}$ | $\frac{(G \cdot D)^2}{(\Sigma D)^2}$ | Note B | $\frac{D}{\Sigma C}$ | I • F | $J \cdot E \cdot \sqrt{2}$ | $K^2 + L^2$ | | |
| 1.A.1. Energy Industries | CH4 | 35.5346662 | 32.9951217 | 5 | 25 | 25.50 | 0.0 | 3.20506E-05 | 0.00010495 | 0.000801264 | 0.000742109 | 1.19275E-06 | |
| 1.A.2. Manufacturing Industries and Construction | CH4 | 57.0302899 | 51.8776096 | 5 | 25 | 25.50 | 0.0 | 4.80131E-05 | 0.000165011 | 0.001200328 | 0.001166804 | 2.80222E-06 | |
| 1.A.3. Transport | CH4 | 81.7067834 | 37.1466612 | 5 | 25 | 25.50 | 0.0 | -4.94664E-05 | 0.000118155 | -0.00123666 | 0.000835483 | 2.22736E-06 | |
| 1.A.4. Other Sectors | CH4 | 1041.24025 | 428.554682 | 5 | 25 | 25.50 | 0.0 | -0.000772946 | 0.001363136 | -0.019323647 | 0.009638828 | 0.00046631 | |
| 1.A.5. Other | CH4 | 330.338228 | 97.55658895 | 5 | 25 | 25.50 | 0.0 | -0.000367351 | 0.000310335 | -0.009183772 | 0.002194401 | 8.91571E-05 | |
| 1.B.1. Solid Fuels | CH4 | 24367.6834 | 12364.38 | 10 | 25 | 26.93 | 2.7 | -0.011678579 | 0.039328314 | -0.291964463 | 0.556186352 | 0.394586505 | |
| 1.B.2. Oil and Natural Gas | CH4 | 12570.348 | 4022.34735 | 10 | 25 | 26.93 | 0.3 | -0.012988732 | 0.012794183 | -0.324718297 | 0.180937071 | 0.138180196 | |
| 2.B. Chemical Industry | CH4 | 40.53 | 37.5018 | 10 | 25 | 26.93 | 0.0 | 3.61373E-05 | 0.000119285 | 0.000903433 | 0.001686942 | 3.66196E-06 | |
| 4.A. Enteric Fermentation | CH4 | 14054.9863 | 7346.85 | 15 | 30 | 33.54 | 1.5 | -0.005462727 | 0.023368679 | -0.163881819 | 0.495724537 | 0.272600067 | |
| 4.B. Manure Management | CH4 | 1903.28061 | 1199.63088 | 15 | 30 | 33.54 | 0.0 | -8.88245E-05 | 0.003815756 | -0.002664735 | 0.080944413 | 0.006559099 | |
| 4.C. Rice Cultivation | CH4 | 522.9 | 338.94 | 10 | 30 | 31.62 | 0.0 | 5.3609E-06 | 0.001078092 | 0.000160827 | 0.015246523 | 0.000232482 | |
| 4.F. Field Burning of Agricultural Residues | CH4 | 64.3314 | — | — | — | 6 | 0.0 | -1.24107E-05 | 0.000119565 | -0.000372321 | 0.003381819 | 1.15753E-05 | |
| 6.A. Solid Waste Disposal on Land | CH4 | 1959.72 | 373 | — | — | 4 | 0.4 | 0.00787088 | 0.011891742 | 0.236126385 | 0.252261939 | 0.119391756 | |
| 6.B. Wastewater Handling | CH4 | 787.08 | 72 | — | — | 4 | 0.0 | 0.000761896 | 0.002376612 | 0.022856865 | 0.050415547 | 0.003064164 | |
| 1.A.1. Energy Industries | CO2 | 102607.31 | 9596 | — | — | 7 | 11.2 | 0.094441853 | 0.305249301 | 0.472209267 | 2.158438506 | 4.881838378 | |
| 1.A.2. Manufacturing Industries and Construction | CO2 | 33991.06 | 30164.5 | 5 | 5 | 7.07 | 1.1 | 0.02618491 | 0.095945987 | 0.130924551 | 0.678440577 | 0.477422855 | |
| 1.A.3. Transport | CO2 | 23987.07 | 2406.48 | 5 | 5 | 7.07 | 0.1 | -0.022453294 | 0.026739124 | -0.11226647 | 0.189074157 | 0.048352797 | |
| 1.A.4. Other Sectors | CO2 | 47432.52 | 11784.04 | 5 | 5 | 7.07 | 0.2 | -0.053800014 | 0.037482383 | -0.26900072 | 0.265040472 | 0.14260749 | |
| 1.A.5. Other | CO2 | 8370.16 | 4124.19 | 5 | 5 | 7.07 | 0.0 | -0.004052209 | 0.013118122 | -0.020261045 | 0.092759127 | 0.009014766 | |
| 1.B.2. Oil and Natural Gas | CO2 | 3408.21 | 5171.49583 | 10 | 15 | 18.03 | 0.2 | 0.009456387 | 0.016449366 | 0.141845811 | 0.232629165 | 0.074236563 | |
| 2.A. Mineral Products | CO2 | 5744.63 | 2507.20146 | 10 | 15 | 18.03 | 0.0 | -0.003809586 | 0.007974844 | -0.057143788 | 0.112781331 | 0.015985041 | |
| 2.B. Chemical Industry | CO2 | 1355.56 | 171.93456 | 10 | 15 | 18.03 | 0.0 | -0.002233954 | 0.000546885 | -0.033509311 | 0.007734125 | 0.001182691 | |
| 2.C. Metal Production | CO2 | 12932.6799 | 10507.4715 | 10 | 15 | 18.03 | 0.9 | 0.006887639 | 0.033421905 | 0.103314586 | 0.47265712 | 0.234078657 | |
| 5.A. Changes in Forest and Other Woody Biomass | CO2 | 97.19 | — | 50 | 80 | 94.34 | 0.0 | -0.000199385 | 0 | -0.015950798 | 0 | 0.000254428 | |
| 5.A. Changes in Forest and Other Woody Biomass | CO2 | -7810.79 | -7721.7341 | 50 | 80 | 94.34 | 12.9 | -0.008539362 | 0.024561101 | -0.683148991 | 1.736732102 | 3.482930938 | |
| 5.B. Forest and Grassland Conversion | CO2 | 6.26 | 280.43888 | 25 | 75 | 79.06 | 0.0 | 0.00087917 | 0.000892013 | 0.065937785 | 0.031537424 | 0.005342401 | |
| 1.A.1. Energy Industries | N2O | 388.516902 | 328.741673 | 5 | 50 | 50.25 | 0.0 | 0.000248607 | 0.001045653 | 0.012430334 | 0.007393886 | 0.000209183 | |
| 1.A.2. Manufacturing Industries and Construction | N2O | 112.709781 | 114.844426 | 5 | 50 | 50.25 | 0.0 | 0.000134069 | 0.000365294 | 0.006703468 | 0.002583021 | 5.16085E-05 | |
| 1.A.3. Transport | N2O | 57.3319301 | 21.6195922 | 5 | 50 | 50.25 | 0.0 | -4.88495E-05 | 6.87671E-05 | -0.002442474 | 0.000486257 | 6.20212E-06 | |
| 1.A.4. Other Sectors | N2O | 194.497577 | 46.1816455 | 5 | 50 | 50.25 | 0.0 | -0.000252117 | 0.000146893 | -0.01260587 | 0.001038693 | 0.00159987 | |
| 1.A.5. Other | N2O | 27.4386549 | 13.5195061 | 5 | 50 | 50.25 | 0.0 | -1.3288E-05 | 4.30025E-05 | -0.000664398 | 0.000304074 | 5.33886E-07 | |
| 4.B. Manure Management | N2O | 375.1 | 198.4 | 15 | 30 | 33.54 | 0.0 | -0.000138451 | 0.000631066 | -0.004153541 | 0.013386927 | 0.000196462 | |
| 4.D. Agricultural Soils(2) | N2O | 25217.694 | 9798.17 | 20 | 30 | 36.06 | 3.0 | -0.020551916 | 0.031165777 | -0.616557485 | 0.881501284 | 1.157187646 | |
| 4.F. Field Burning of Agricultural Residues | N2O | 24.304 | 21.297 | 20 | 30 | 36.06 | 0.0 | 1.78812E-05 | 6.7741E-05 | 0.000536437 | 0.001916004 | 3.95884E-06 | |
| 6.B. Wastewater Handling | N2O | 452.6 | 384.4 | 15 | 30 | 33.54 | 0.0 | 0.000294175 | 0.00122269 | 0.008825264 | 0.025937172 | 0.000750622 | |
| Keep Blank! | | ... | | 314388.7626 | | 202771.1719 | | $\sum H$ | | 34.6 | | | |
| | | | | | | | | Percentage uncertainty in total inventory: | | 5.880740472 | | | |
| | | | | | | | | Trend uncertainty: | | 3.386296561 | | | |

Reducing uncertainty

Improving accounting

Improving conceptualization

Structural assumptions

Improving models

Structure and parameterization

Improving representativeness

Sampling strategies

Using + precise measurement methods

Measurement technologies

Collecting more measured data

Sample size

Eliminating known risk of bias

Following decision trees

Improving state of knowledge

Understanding of the categories

Uncertainty assessment

- It is a means to help prioritise national efforts to reduce the uncertainty of inventories in the future
- It guides decisions on methodological choice
- It helps understand the quality of the information use
- It is a requirement of GHG Inventories

**Assessment of uncertainty in the input parameters
should be part of the data collection !**



Welcome to the
Climate
Transparency
Platform

LEARN MORE



[www.climate-transparency-
platform.org](http://www.climate-transparency-platform.org)

Thank you for your attention !



Please reach out to us for any question, comments or suggestions!



CBIT-GSP
Asia Network
Coordinator

Jaypalsinh CHAUHAN
jaypalsinh.chauhan@un.org



CBIT-GSP
Global Coordinator

Fatima-Zahra TAIBI
fatima-zahra.taibi@un.org



CBIT-GSP
Project Officer

Susanne KONRAD
susanne.konrad@un.org



CBIT-GSP
Transparency Officer

Khetsiwe KHUMALO
khetsiwe.khumalo@un.org



CBIT-GSP
Project Officer

Juliette LUNEL
juliette.lunel@un.org



copenhagen
climate centre