



Empowered lives.
Resilient nations.



CBIT-GSP
CLIMATE TRANSPARENCY

Hands-on Training on Tracking NDC Mitigation Commitments under the Paris Agreement

Definition and development of NDC indicators/SMART targets

Juba South Sudan 6-9 August 2024

Sheila Kiconco
CBIT-GSP Regional Coordinator for Anglophone Africa
UNEP-CCC
Sheila.kiconco@un.org

Executed by:



copenhagen
climate centre

Funded by:



Implemented by:



Information necessary to track progress made in implementing and achieving NDC

A. National circumstances and Institutional arrangements

Should be used to show a comprehensive image of the country's particular context that might impact their progress towards NDCs, including institutional, legal, procedural arrangements for implementation .

B. Description of a Party's NDC under Article 4 of the Paris Agreement, including updates

Detailed description of the NDC, including all its parameters and any updates since the last report. The purpose is to ensure a clear understanding of the country's climate commitments and any changes therein.

C. Information necessary to track progress

The goal of this section is to outline how a country tracks its progress towards meeting its NDCs. It involves detailing the specific indicators used and sharing the most recent data related to these indicators.

D. Mitigation Policies, Actions, and Plans

Section that presents policies, actions and plans in place to mitigate climate change. The goal is to highlight the measures being taken to reduce GHG emissions and the effectiveness of these measures.

E. Summary of GHG Emissions and Removals

Provide a succinct summary of a country's GHG emissions and removals. This information is especially important for countries submitting a stand-alone national inventory report

F. Projections of GHG Emissions and Removals

Projection of future GHG emissions and removals, based on current mitigation policies and measures. This helps to identify the potential future trajectory of a country's GHG emissions. (Flexibility)


G. Other Information

Any additional information that helps understand the progress in implementing and achieving their NDCs. This could include any unique initiatives, challenges, or plans that are relevant to the NDC progress.



CBIT-GSP
CLIMATE TRANSPARENCY

What is an indicator?



MPGs: Information necessary to track progress made in implementing and achieving its NDC.




CBIT-GSP
CLIMATE TRANSPARENCY

Why we need indicators?

A system of tracking progress is useful to identify whether an initiative is **on track** and being implemented as planned, and any gaps that will need to be addressed to deliver the expected results.

In MPGs: P65. Each Party shall identify **the indicator(s)** that it has selected to track progress towards the implementation and achievement of its NDC under Article 4.

Indicators shall be **relevant to a Party's NDC** and may be either **qualitative or quantitative**.



CBIT-GSP
CLIMATE TRANSPARENCY

Type of indicators

Quantitative Progress Indicators

Consists of a **unit of measurement and the value** (e.g., 50 MW). Often relate to the inputs for the mitigation initiatives.

- Measuring aggregate emissions reduction;
- Identifying co-benefits of mitigation actions, policies and measures.

Qualitative Progress Indicators

Descriptive and non-numerical
It include subjective assessments of progress.



Useful where parameters are difficult to quantify, (non-GHG effects).



CBIT-GSP
CLIMATE TRANSPARENCY

Steps for tracking progress

Tracking progress needs to cover three main steps:




CBIT-GSP
CLIMATE TRANSPARENCY



Empowered lives.
Resilient nations.




Information necessary to track progress made in implementing and achieving NDCs




CBIT-GSP
CLIMATE TRANSPARENCY

Identifying and compiling NDC indicators - Step by step approach



Step 1: Identify and assess NDC targets

Identify all mitigation and adaptation targets, List in a tabular format, including :



Step 1: Identify and assess NDC targets - GHG related targets

NDC target type	Country Examples	Scope	Target value	Target unit	Target timeframe	Value in reference / Base period / BAU
Absolute emission reduction or limitation target relative to a base year	Brazil NDC commits 'to reduce its greenhouse gas emissions in 2025 by 37%, compared with 2005'.	CO ₂ , CH ₄ , N ₂ O, perfluorocarbons (PFCs), hydrofluorocarbons (HFCs) and SF ₆	37	%	2025	Base year emission estimation in the fourth BUR is around 2.4 Mio. kt of CO ₂ eq. May be updated according to the latest inventory.
Emission reduction target below a BAU level	Morocco's NDC unconditional) reduction target, '18.3% below BAU emissions by 2030'.	CO ₂ , CH ₄ , N ₂ O and HFCs	18.3	%	2030	The BAU scenario is projected approx. 1.4 Mio. kt CO ₂ eq in 2030
Fixed-level target	Argentina's 's fixed-level target, will not exceed net emissions of 359 Mt CO ₂ eq by 2030 to 369 Mt CO ₂ eq for 2030.	CO ₂ , CH ₄ , N ₂ O, HFCs and PFCs	359	Mt CO ₂ eq	2030	<u>No reference value is used.</u> But in its NDC submission Argentina compares the level of ambition to its 2016 emissions, which were around 364 Mt CO ₂ eq.



Empowered lives.
Resilient nations.



CBIT-GSP
CLIMATE TRANSPARENCY

Step 1: Identify and assess NDC targets – Non-GHG related targets

NDC target type	Country Examples	Scope	Target value	Target unit	Target timeframe	Value in reference / Base period / BAU
Sectoral non-GHG targets	China has pledged to 'increase the share of non-fossil fuels in primary energy consumption to around 25%.	N/A	25	%	2030	N/A
Mitigation actions	<u>Bangladesh</u> aims to implement renewable energy projects, enhance efficiency of existing power plants, improve technology for power generation.	N/A	Implementation of actions	MW	2030	N/A



CBIT-GSP
CLIMATE TRANSPARENCY

Step 1: Identify and assess NDC targets – Adaptation targets

Sector/focus	Country Examples	Target value / Qualitative description	Target unit	Target timeframe
Water Quality	Expand the scope of Brazil's National Drinking Water Quality Surveillance Program (VIGIAGUA) to reach 85% of Brazilian municipalities, by 2019.	Engagement with 85% of Brazilian municipalities	%	2019
Human Settlement	Fiji to promote the enforcement of appropriate national building codes and infrastructure design on critical facilities and public assets.	Enforcement of national building codes to support compliance of disaster resilient infrastructure	N/A	2030
Agriculture	Kenya to up-scale and promote drought tolerant traditional high value crops; water harvesting for crop production; index-based weather insurance; conservation agriculture; agro-forestry; and Integrated soil fertility management.	Implementation of disaster resilient agricultural techniques and management	N/A	2030



CBIT-GSP
CLIMATE TRANSPARENCY

Step 2: Make targets SMART

The more general targets are defined, the more work will be required.



What to do. **Assess** and, if necessary, **clarify the scope** covered by the target. Where necessary, clarify also other elements, e.g., **units, reference / baseline levels**.

Step 2: Make targets SMART

S

Specific

The Target is clearly defined, so there cannot be different interpretations of it

M

Measurable

The Target value can be measured quantitatively or qualitatively

A

Ambitious

Achieving the Target requires ambitious action

R

Relevant

The Target relates to a relevant impact of a mitigation action

T

Time-bound

The Target relates to a point in time of timeframe



CBIT-GSP
CLIMATE TRANSPARENCY

Step 2: Make targets SMART



Exemple 1

Achieving a share of 28% of renewable power by 2030 :

- This is not a fully SMART target yet.
- What should the 28% refer to – e.g., power generation (including or excluding imports and exports?) or capacities installed?
- Which technologies should be counted as renewable power technologies?



Exemple

Increase public awareness of climate changes effects and impacts on general health :

- How do you tell whether or not the indicator has been achieved?
- What types of climate change impacts will be addressed?
- What mechanism will be used to engage with the public?
- Under which conditions will public awareness be considered as increased?
- What are the current levels of public awareness, have these been defined?
- Finally, has a timeframe been established?

Step 2: Make targets SMART – Mitigation targets issues – GHG related targets

Type of mitigation target	Elements to consider for a SMART target	Unit
Absolute emission reduction or limitation target relative to a base year	<ul style="list-style-type: none"> · Base year clearly agreed? · Gases included agreed? · Sectors / GHG inventory categories agreed · Target year agreed? 	kt CO ₂ eq
Emission reduction target below a BAU level	<ul style="list-style-type: none"> · As for absolute emission reduction target · BAU level clearly defined? Data and methods available? 	%
Intensity target	<ul style="list-style-type: none"> · As for absolute emission reduction target · Intensity-relevant factor and source / methodology to be used clearly defined, e.g., GDP, population? 	kt CO ₂ eq / capita or GDP / etc. % (if compared to BAU or base period)




CBIT-GSP
CLIMATE TRANSPARENCY

Step 2: Make targets SMART – Mitigation targets issues – Non-GHG related target

Type of mitigation target	Elements to consider for a SMART target	Unit
Renewable Energy	<ul style="list-style-type: none"> Definition of “renewable” to be used – e.g., which sources, which technologies? What does it relate to – share in total power / power + heat generated, GWh electricity generated, renewable generation capacities installed / operational? 	<ul style="list-style-type: none"> % GWh MW
Energy Efficiency	<ul style="list-style-type: none"> Definition of “energy efficiency” to be used What does the target relate to, e.g. <ul style="list-style-type: none"> energy efficiency improvement compared to a base year or BAU Energy efficiency target level? 	<ul style="list-style-type: none"> GWh TJ / unit of GDP
Forest cover	<ul style="list-style-type: none"> Is there a national forest definition? Methodology to determine forest cover agreed? Reference level / baseline data and methodology available? 	<ul style="list-style-type: none"> Hectares or km² % of national territory % increase compared to reference / baseline



Step 3: Identify type of indicator suitable to track the target




NB: The MPGs leave the choice of indicators to the Parties, for their NDC. The use of such implementation-related progress indicators can surely be considered beneficial at the national level. **Parties might however decide not to include such information in their BTRs.**



CBIT-GSP
CLIMATE TRANSPARENCY

Step 3: Indicator type – Developing a logical framework

With **qualitative targets** the intervention logic framework (Logframe) provides a helpful approach to identifying suitable progress indicators (cf. section 2.1).



Step 3: Identify type of indicator suitable to track the target – GHG target

Type of mitigation target	Relevant indicators	Unit
Absolute emission reduction or limitation target relative to a base year	<p>GHG emissions</p> <ul style="list-style-type: none"> as reported in the national GHG inventory adapted to the specific scope of the target (e.g., gases and sectors covered), including use of market-based mechanisms, and adapted to the specific timeframe of the target (e.g., where a multi-year target-period applies). 	kt CO ₂ eq
Emission reduction target below a BAU level	<p>Relationship (e.g., difference in %) between</p> <ul style="list-style-type: none"> GHG emissions in the BAU target year / period (updated, where applicable) and GHG emissions as reported in the national GHG inventory adapted to the specific scope of the target (e.g., gases and sectors covered), including use of market-based mechanisms, and adapted to the specific timeframe of the target (e.g., where a multi-year target-period applies) 	%
Peaking Target	<p>GHG emissions in all years leading to the current year,</p> <ul style="list-style-type: none"> as reported in the national GHG inventory adapted to the specific scope of the target (e.g., gases and sectors covered), including use of market-based mechanisms 	kt CO ₂ eq



CBIT-GSP
CLIMATE TRANSPARENCY

Step 3: Identify type of indicator suitable to track the target – Non-GHG target

Type of mitigation target	Relevant indicators	Unit
Renewable Energy	<p>Depending on specific definition of target, relevant indicators include</p> <ul style="list-style-type: none"> · % of electricity generated by source · Total generation by source · Installed capacity by source 	<ul style="list-style-type: none"> · % · GWh · MW
Energy Efficiency	<p>Depending on specific definition of target, relevant indicators include</p> <ul style="list-style-type: none"> · Total energy demand or consumption · Energy intensity of the economy 	<ul style="list-style-type: none"> · GWh · TJ / unit of GDP
Forest cover	<p>Depending on specific definition of target, relevant indicators include</p> <ul style="list-style-type: none"> · Share of land covered by forest · Area covered by forest · Area restored or reforested · Forest stock · CO₂ sequestered per year 	<ul style="list-style-type: none"> · % · ha · ha · m³ · t CO₂ eq



Step 4: Identify data and methodology required to compile the indicator

For each indicator, develop a **data collection plan** :


Provide a complete overview for each indicator of what is being measured:

- the baseline, the targets, data sources and methods.
- Process: It also specifies who will be collecting data, with what frequency and to whom it will be reported.



Step 4: Identify data and methodology required

In considering the data and potential **methodology required**, the following questions might be helpful:



Step 4: Identify data and methodology required – GHG target

Mitigation target categories	Relevant data sources
Absolute emission reduction or limitation target relative to a base year	National GHG inventory data from the BTR under preparation
Emission reduction target below a BAU level	<ul style="list-style-type: none">• National GHG inventory data from the BTR under preparation• BAU projections from the most recent NDC or from the BTR under preparation in case the BAU projections are updated over time
Peaking target	National GHG inventory data from the BTR under preparation
Intensity target	<ul style="list-style-type: none">• National GHG inventory data from the BTR under preparation• Depending on specific target: GDP, population typically available from the national statistical offices



CBIT-GSP
CLIMATE TRANSPARENCY


Step 4: Identify data and methodology required – Non-GHG target

Mitigation target categories	Relevant data sources
Renewable Energy	<p>Depending on specific target:</p> <ul style="list-style-type: none"> · % of electricity generated by source and/or total generation by source from the national energy balance (if available), likely collected for the mitigation chapter of the BTR under preparation · Installed capacity by source: Potentially collected for the mitigation chapter of the BTR under preparation, alternatively to be collected from the Ministry responsible for power and heat generation
Energy Efficiency	<ul style="list-style-type: none"> · Total energy demand or consumption: from the national energy balance (if available), potentially collected for the mitigation chapter of the BTR under preparation · Energy intensity of the economy: Potentially available from the national statistical services.
Forest cover	<ul style="list-style-type: none"> · Depending on type of target information like: <ul style="list-style-type: none"> - % of land covered by forest - Hectares of land covered by forest - Hectares of land restored or reforested - Volume of forest stock - Tonnes of CO2 stored/sequestered per year <p>Has likely been collected for the preparation of the LULUCF categories of the national GHG inventory and potentially for the mitigation and/or adaptation chapters.</p>
Implementation of qualitative policies and measures	<ul style="list-style-type: none"> · Information likely available from the mitigation chapter of the BTR under preparation.

Step 4: Identify data and methodology required – Adaptation target

Adaptation target areas	Relevant data sources
Water	Depending on specific target: <ul style="list-style-type: none"> · Volume of water (m³) can be derived from sector analysis this may have been collected as part of the NAP and/or national water provider
Ecosystems and biodiversity	Depending on specific target: <ul style="list-style-type: none"> · National totals of species can be potentially sourced from Ministries of Environment, Environmental Protection Agencies and National Biodiversity Statistics
Extreme events and disasters	Depending on specific target: <ul style="list-style-type: none"> · National Statistical Offices and/ or Disaster Management Agencies · Severe Weather Database · National Hydrometeorological Institutes
Human settlements and environmental health	Depending on specific target: <ul style="list-style-type: none"> · Health Statistics · Ministry of Health · International: WHO Mortality database
Agriculture and forestry	Depending on specific target: <ul style="list-style-type: none"> · Data on agricultural production can be collected through agricultural surveys organized by the national statistical agencies · Geospatial data/remote sensing from the ministry or agency responsible for agriculture

Step 5: Compiling, reporting, documenting, archiving



The assessment of available data sources in the previous step will show that many progress indicators can be compiled with data already available from BTRs and NCs.

The timing – when such data, e.g., national GHG inventory estimates, information on adaptation actions, becomes available – will be important to consider for the overall BTR compilation process.

Where additional data needs to be collected, assess whether such data collection can be integrated into existing data collection processes or can be built up together with data collection processes which need to be established for BTR reporting.



CBIT-GSP
CLIMATE TRANSPARENCY

Step 5: Compiling, reporting, documenting, archiving – Data gaps

Type of data gap	What to do	What to report in the BTR
Relevant input data not available at all	<p>Identify</p> <ul style="list-style-type: none"> activities enabling the collection of relevant data (e.g., research, studies, new statistics) entities responsible for these activities necessary preconditions, e.g., budget / staff, legal framework, MoUs, etc. 	<p>Report</p> <ul style="list-style-type: none"> the fact that the indicator data is currently not available and why that is the case action taken to make the indicator data available in the future When you expect to be able to report on the indicator What international support is required to do so (if applicable)
Relevant input data not available for all years, all sectors, all regions, etc.	<ul style="list-style-type: none"> Where possible, use gap-filling approaches (e.g., overlap, surrogate data, interpolation, and trend extrapolation) to estimate the indicator value for the full scope / all relevant years Use approaches suggested under “relevant input data not available at all” to collect missing data in the future 	<p>Report,</p> <ul style="list-style-type: none"> what information was not available / for which years? What gap filling approaches have been deployed? actions taken to make indicator data available in the future When would you expect to be able to report the indicator? What international support is required to do so (if applicable)?
Data is not available as a relevant mitigation or adaptation action has not started yet	<ul style="list-style-type: none"> Put data collection and compilation processes in place before the action starts 	<p>Report</p> <ul style="list-style-type: none"> The fact that the implementation has not yet started and When it is planned to start?

Summary: Step by step approach- Identifying and compiling NDC indicators

Step 1: Identify and assess NDC targets

- What to do: Identify mitigation and adaptation targets in NDC. List targets in a tabular format with relevant details

Step 2: Make targets SMART

- What to do: Clarify scope, units, reference/baseline levels. Involve stakeholders responsible for implementing measures

Step 3: Identify type of indicator suitable to track the target

- What to do: Identify indicators for quantitative and qualitative targets. Implementation-related progress indicators beneficial at the national level. Parties might not include such information in their BTRs

Step 4: Identify data and methodology required

- Identifying data and methodology. Determine what information is required, its availability, and quality. Check if adjustments to scope or units are necessary. Identify if calculations are needed and what methodologies to use

Step 5: Compiling, reporting, documenting, archiving

- Compiling and reporting. Assess integration of data collection with existing processes. Plan long-term improvements for data quality and availability.
- Document all relevant information for future compilation. Learn from national GHG inventory and statistical offices' processes



CBIT-GSP
CLIMATE TRANSPARENCY

Thank you for your attention!

Sheila Kiconco
CBIT-GSP Regional Coordinator for Anglophone Africa
UNEP-CCC
Sheila.kiconco@un.org

Executed by:



copenhagen
climate centre

Funded by:



Implemented by:

